

According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

1. Product and Company Identification

Product name: Succinic anhydride

Synonyms: 2,5-Furandione, dihydro- (Cas Name)

CAS #: 108-30-5

Product code: -

Product use: <u>Industrial use</u>:

Industrial use as an intermediate in the production of substances and

intermediates.

Industrial use as a monomer for the production of resins

<u>Professional use</u>: Intermediate.

Laboratory chemicals.

Manufacturer/Supplier:

Supplier(Manufacturer): Polynt S.p.A.

Address: Via Enrico Fermi 51

24020 Scanzorosciate (BG)

ITALY

Contact person(E-mail): msds@polynt.com Telephone: +39 035 652 111

Fax: -

Emergency telephone Number: +39 035 652 276 USA: Chemtrec 800-424-9300

2. Hazard(s) identification

GHS classification:

Physical hazards: Not classified

Health hazards: Acute toxicity-Oral Category 4

Serious eye damage/eye irritation Category 2A
Skin sensitization Category 1
Respiratory sensitization Category 1
specific target organ toxicity after single exposure Category 3

Environmental hazards: Not classified

GHS label elements:

Hazard Pictograms:







According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Signal word: Danger

Hazard statement: Harmful if swallowed.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

Precautionary statement:

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear eye protection/face protection.

Response: If swallowed: Call a poison center/doctor if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Rinse mouth.

If eye irritation persists: Get medical advice/attention.

Call a poison center /doctor if you feel unwell.

Storage: Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal: Dispose of contents/container in corroding with local regulation.

Other Hazards: Dust explosion hazards (See Section 9).

3. Composition / Information on Ingredients

Components	CAS#	Percent	GHS Classification		
			H302 Acute Tox 4		
			H319 Eye Irrit. 2		
Succinic Anhydride	108-30-5	> 99.5%	H334 Resp. Sens. 1		
			H317 Skin Sens. 1		
			H335 STOT SE 3		

4. First Aid Measures

First aid procedures:

Eye contact: In the case of contact with eyes, rinse immediately with plenty of water and

seek medical advice. Call a physician immediately.



According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Skin contact: After contact with skin, wash immediately with plenty of soap and water. Consult a

physician.

Inhalation: Remove to fresh air. If breathing is irregular or stopped, administer artificial

respiration.

Ingestion: Call a physician immediately. Clean mouth with water. Do not induce vomiting

without medical advice. Never give anything by mouth to an unconscious person.

Notes to physician: Treat symptoms.

5. Fire Fighting Measure

Flammable properties: Not flammable.

Extinguishing media:

Suitable extinguishing media: Foam, powder, water spray.

Unsuitable extinguishing media: Do not use water jets as they can disperse and spread fire.

Firefighting equipment/instructions: In the event of fire, wear self-contained breathing apparatus. Water

mist may be used to cool closed containers. Use personal

protective equipment to protect skin/eyes.

Hazardous combustion products: In combustion emits toxic fumes of carbon dioxide / carbon

monoxide.

6. Accidental Release Measures

Personal precautions: Move any people not authorised to contain the emergency out of the area.

Avoid coming in contact with the substance or handling containers without adequate protection. Use the personal protective equipment described in section 8. Use a respirator in the event of emissions/spillage of large quantities. Eliminate all sources of ignition. Remove all incompatible

materials as outlined in section 10 of SDS. Avoid dust formation.

Environmental precautions: Contain the spillage as far as possible. Prevent spilled materials getting into

the drainage system, wells, surface water or groundwater. In the case of leaks into a water course, drains, or if the product has contaminated the

ground or vegetation, contact the local authorities.

Methods for cleaning up: Do not use equipment that can generate sources of ignition when cleaning.

If possible, vacuum up the spilled material and/or absorb parts that can't be vacuumed up with inert materials (sand, earth, absorbent materials...) and place in suitable containers (separate liquids and solids) for disposal in accordance with section 13. After collection, ventilate and clean the affected area with water before granting access. Do not flush the water used for

cleaning into watercourses or down drains.



According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

7. Handling and Storage

Handling: Provide sufficient air exchange and/or exhaust in work rooms. Avoid contact with skin

and eyes. Avoid accumulation of electrostatic charges, to prevent risk of powders exploding. Avoid formation of respirable particles. Avoid breathing dust. For

precautions see section 2.2.

Storage: Eliminate all sources of combustion. Keep container hermetically closed in a dry and

well ventilated environment. Do not store near heat sources or expose to direct sunlight, to preserve the quality of the product. Keep away from incompatible materials

(see point 10.5). Keep away from food, feed and beverages.

8. Exposure Controls / Personal Protection

Control parameters:

OCCUPATIONAL EXPOSURE LIMITS (OEL):

INGREDIENT DATA: Not Available

EMERGENCY LIMITS:

Ingredient	TEEL-1	TEEL-2	TEEL-3
Succinic Anhydride	0.21 mg/m ³	2.4 mg/m ³	300mg/m ³

Ingredient	Original IDLH	Revised IDLH
Succinic Anhydride	Not Available	Not Available

Exposure controls:

Appropriate engineering controls: Use in a well-ventilated area.

Individual protection measures, such as personal protective equipment:

Eye / face protection: Goggles or protective visor.

Skin protection: The material the gloves are made of must be impermeable and stable

when in contact with the substance. No specific information available on the suitability of the material and thickness of the gloves. Consult the glove manufacturer for specific information on the suitability of the gloves. Replace the gloves in the case of internal contamination, when punctured, or if external contamination cannot be removed. The actual duration of protection depends on the conditions of use. Wear protective

clothing resistant to chemical substances.

Respiratory protection: Mask with P3 dust filter if solid or type A filter for vapours and organic

gases with a boiling point > 65°C if molten (EN 149).



According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Revision date: 07/14/2015 Version 1.0

General hygiene Considerations:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

9. Physical & Chemical Properties

Appearance:

Solid Physical state:

Form: Solid flakes Color: White

Odor: Characteristics **Odor threshold:** Not available pH: Not available

Vapor pressure: 0.00000286 mm Hg (25 °C)

Melting point/Freezing point: 119 °C 263.5 °C initial boiling point and boiling range: 163 °C Flash point:

Evaporation rate: Not available Non flammable Flammability (solid, gas): Not available **Explosion limits:** Not available Vapor density:

Very soluble, 62.9 g/L, (20°C) Solubility (water):

log Pow= 2.44 (40 °C) Partition coefficient octanol-water (Log Pow):

Auto-ignition temperature: Not available **Decomposition temperature:** Not available Specific gravity: Not available **Relative Density:** 1.23 (20 °C) Not available Flammability limits in air, upper, %by volume:

Flammability limits in air, lower, % by volume: 35 g/m3

VOC (Volatile Organic Compounds): Not available Not available Percent volatile: **Explosive properties:** Not explosive Not oxidizing Oxidising properties:

Molecular Formula: $C_4H_4O_3$ **Molecular Weight:** 100.07

Other data:

5/9



According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Viscosity: Not available

Dissociation constant: pKa= 4.67 (20 °C)

Dust explosion hazard: Parameters: <u>Test Results:</u>

Sample Characterisation:

Particle Size Distribution of sample (μ m): =< 70 Moisture content (%): 0.12

Dust Explosion risk:

Minimum Ignition Energy (MIE),(mJ):

Without inductance (Electrostatic)($<25 \mu H$): 10 - 15 With inductance (Mechanical) (1mH): 8 - 10 Test Temperature (°C): 20

10. Chemical Stability & Reactivity Information

Reactivity: Stable under normal conditions.

Chemical stability: Material is stable under normal conditions.

Conditions to avoid: Incompatible materials. Avoid the build-up of electrostatic charges.

Avoid exposure to heat sources. Avoid the formation of dust.

Incompatible materials: Strong acids, strong bases, oxidizing agents, amines.

Hazardous decomposition products: Toxic fumes of carbon dioxide / carbon monoxide.

Possibility of hazardous reactions: None known when used as directed.

11. Toxicological Information

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat): 1794.9 mg/kg bw LD50(Dermal, Rat): > 2000 mg/kg bw LC50(Inhalation, Rat): Not available

Skin corrosion/Irritation: Not classified

Serious eye damage/irritation: Causes serious eye irritation.



According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Revision date: 07/14/2015 Version 1.0

Respiratory or skin sensitization:

Respiratory sensitization: May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

Skin sensitization: May cause an allergic skin reaction.

Not classified Germ cell mutagenicity:

Not classified Carcinogenicity:

Not classified Reproductive toxicity:

STOT- single exposure: May cause respiratory irritation.

STOT-repeated exposure: Not classified

Aspiration hazard: Not classified

12. Ecological Information

Toxicity:

Acute t	toxicity	Time	Species	Method	Evaluati	Remark
					on	s
LC50	> 100 mg/L	96h	Fish	OECD 203	N/A	N/A
EC50	> 100 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	> 100 mg/L	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: Readily biodegradable.

The substance has a Partition coefficient (log Pow) < 3 and therefore is **Bioaccumulative potential:**

not considered to be a bioaccumulative.

Mobility in soil: The product is soluble in water.

Results of PBT&vPvB assessment: Based on available information, the substance is not a PBT/vPvB.

Other adverse effects: No known significant effects or critical hazards.

13. Disposal Considerations

Disposal instructions: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Since emptied containers may retain product residue, follow label Contaminated packaging:

warnings even after container is emptied.

Material name: Succinic anhydride

Polynt

Safety Data Sheet

According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

14. Transport Information

DOT

Basic shipping requirements:

UN number:

Proper shipping name:

Hazard class:

Not regulated

Not regulated

Not regulated

Not regulated

Environmental hazards: No

IATA

UN number:
UN proper shipping name:
Not regulated
Not regulated
Not regulated
Not regulated
Not regulated

Environmental hazards: No

IMDG

UN number: Not regulatedUN proper shipping name: Not regulatedTransport hazard class(es): Not regulatedPacking group: Not regulated

Environmental hazards: No

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Succinic Anhydride (CAS 108-30-5): "US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory" List.

16. Other Information

HMIS®ratings Health: 3

Flammability: 1
Physical hazard: 0

NFPA ratings Health: 3

Flammability: 1 Instability: 0

Material name: Succinic anhydride



According to Hazard Communication Standard (29 CFR 1910.1200)

Succinic anhydride

Issue date: 07/14/2015 Version 1.0 Revision date: 07/14/2015

Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienist.

B: Bioaccumulable.

BCF: Bioconcentration Factor.

DOT: U.S. Department of Transportation

EC50: Effective Concentration 50 (that produces an effect (other than death)

for 50% of organisms test).

EPA: Environmental Protection Agency.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

IATA: International Air Transport Association.

IBC: International code for the construction and equipment of ships carrying

dangerous Bulk Chemicals.

ICAO: International Civil Air-transport Organisation.

IDLH: Immediately Dangerous to Life and Health
IMDG: International Maritime Dangerous Goods code.

Koc: Organic carbon/water partition coefficient (adsorpion coefficient).

Kow/Pow: n-octanol/water partition coefficient.

LC50: Lethal Concentration for 50% of animal test.

LD50: Lethal Dose for 50% test animal.

P: Persistent.

PBT: Persistent, Bioaccumulable and Toxic.

SDS: Safety Data Sheet.

STOT: Specific target organ toxicity

TEELs; Temporary Emergency Exposure Limits

TLV: Threshold Limit Value.

TLV-C: Threshold Limit Value - Ceiling.

TLV-STEL: Threshold Limit Value - Short Term Exposure Limit. TLV-TWA: Threshold Limit Value - Time Weighted Average.

vPvB: very Persistent and very Bioaccumulable.

Disclaimer: The information in the sheet was written based on the best knowledge and experience

currently available.

Issue date 07-14-2015