

LEHDER Environmental Services Limited has attempted to obtain an updated SDS. No update is available for the reason identified below:

Manufacturer/supplier confirms this to be a non-hazardous product, and as such, SDS updates are not required.

Manufacturer/supplier confirms that this is the most recent SDS available.

Manufacturer/supplier has not responded to our request for an updated SDS prior to project completion schedule.

SDS now available for individual product lines. LEHDER requires identification of specific product.

Manufacturer/supplier will not send SDS to third party.

Fb2

SAFETY DATA SHEET

1. Identification

Product identifier LPS® ThermaPlex® Multi-Purpose Bearing Grease

Other means of identification

Part Number C70614, C70606, C70635, C70655

Recommended use A lubricating grease intended for all types of industrial bearing applications.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name ITW Pro Brands

Address 4647 Hugh Howell Rd.

Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency 1-800-424-9300

1-703-527-3887

Website www.lpslabs.com

E-mail lpssds@itwprobrands.com

Supplier ITW Permatex Canada

1-35 Brownridge Road Halton Hills, ON, L7G 0C6

Canada

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information 23.02% of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
OIL, MINERAL		64742-52-5	30 - 70	

Material name: LPS® ThermaPlex® Multi-Purpose Bearing Grease
C70614, C70606, C70635, C70655 Version #: 02 Revision date: 09-19-2016 Issue date: 01-14-2016

Chemical name	Common name and synonyms	CAS number	%
Distillates Petroleum Hydrotreated Heavy		64742-54-7	10 - 30
Calcium Carbonate		471-34-1	1 - 10
Antimony, tris(dipentylcarbamodithioato-S,S`) , (OC-6-11)-	-	15890-25-2	1 - 4
Zinc Dialkylditho Phosphate		68649-42-3	< 2

All concentrations are in percent by weight (kg) unless ingredient is a gas. Gas concentrations are in percent by volume (I).

4. First-aid measures

Inhalation Move to fresh air. If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Irritation of eyes and mucous membranes.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Symptoms may be delayed.

General information Take off contaminated clothing and shoes immediately. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep upwind, Keep out of low areas, Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Dike far ahead of spill for later disposal. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Refer to special instructions/safety data sheets. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid contact with eyes. Avoid contact with skin. Do not empty into drains. Handle and open container with care. Observe good industrial hygiene practices.

Keep away from heat, sparks and open flame. Store in original tightly closed container. Keep out of the reach of children. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIF	I Threshold	Limit Values
-----------	-------------	---------------------

Components	Туре	Value	Form
OIL, MINERAL (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occupati	onal Health & Safety Code, Scl	nedule 1, Table 2)	
Components	Туре	Value	Form
Calcium Carbonate (CAS 471-34-1)	TWA	10 mg/m3	
OIL, MINERAL (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Canada. Manitoba OELs (Reg. 21	7/2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	Form
OIL, MINERAL (CAS	TWA	5 mg/m3	Inhalable fraction.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)				
Components	Туре	Value	Form	
Calcium Carbonate (CAS 471-34-1)	TWA	10 mg/m3	Total dust.	
OIL, MINERAL (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
,	TWA	5 mg/m3	Mist.	

No biological exposure limits noted for the ingredient(s). **Biological limit values**

No exposure standards allocated. Occupational Exposure Limits are not relevant to the current **Exposure guidelines**

physical form of the product.

Appropriate engineering

64742-52-5)

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection Not normally needed.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection No personal respiratory protective equipment normally required. Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid. **Form** Paste. Blue. Color

Odor Hydrocarbon-like. Odor threshold Not available. Not applicable. Melting point/freezing point Not available.

Material name: LPS® ThermaPlex® Multi-Purpose Bearing Grease

Initial boiling point and boiling Not available.

range

400.0 °F (204.4 °C) Cleveland Open Cup

Evaporation rate Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flash point

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not applicable. Explosive limit - upper (%) Not applicable. Vapor pressure < 0.13 kPa

Vapor density < 1 (air = 1)Relative density 0.87, 7.506 (lbs/gal) @ 15°C

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other information

1 % w/w ASTM D-972 VOC

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

Heat, flames and sparks. Contact with incompatible materials.

Conditions to avoid Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation,

redness, or discomfort.

C70614, C70606, C70635, C70655 Version #: 02 Revision date: 09-19-2016 Issue date: 01-14-2016

Information on toxicological effects

Expected to be a low hazard for usual industrial or commercial handling by trained personnel. **Acute toxicity**

Components **Species Test Results**

Calcium Carbonate (CAS 471-34-1)

Acute Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Material name: LPS® ThermaPlex® Multi-Purpose Bearing Grease

Components **Species Test Results**

Oral

LD50 Rat > 2000 mg/kg

Distillates Petroleum Hydrotreated Heavy (CAS 64742-54-7)

Acute **Dermal**

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat > 3.9 mg/l, 4 Hours

Oral

LD50 Rat > 2000 mg/kg

OIL, MINERAL (CAS 64742-52-5)

Acute Dermal

Rabbit LD50 > 2000 mg/kg

Inhalation

LC50 Rat > 3.9 mg/l, 4 Hours

Oral

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> Calcium Carbonate (CAS 471-34-1) Irritant

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

ACGIH Carcinogens

OIL, MINERAL (CAS 64742-52-5) A2 Suspected human carcinogen.

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

OIL, MINERAL (CAS 64742-52-5) Not classifiable as a human carcinogen.

Suspected human carcinogen.

US. National Toxicology Program (NTP) Report on Carcinogens

OIL, MINERAL (CAS 64742-52-5) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

Further information This product has no known adverse effect on human health.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results**

Calcium Carbonate (CAS 471-34-1)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) > 56000 mg/l, 96 hours Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

LPS® ThermaPlex® Multi-Purpose Bearing Grease > 1

Mobility in soilNo data available.Other adverse effectsNone known.

13. Disposal considerations

Disposal instructionsContract with a disposal operator licensed by the Law on Disposal and Cleaning. This material and

its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. After recovery of solvent dispose of residue as hazardous waste. Dispose in accordance with all applicable regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with

manifests for industrial waste.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΔΤΔ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the SDS

contains all the information required by the CPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work. Pregnant women should not work with the product, if there is the least risk of exposure. Regulation (EU) No 453/2010 amending Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH). Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Stockholm Convention

Not applicable.

Material name: LPS® ThermaPlex® Multi-Purpose Bearing Grease

SDS CANADA

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information

 Issue date
 01-14-2016

 Revision date
 09-19-2016

Version # 02

United States & Puerto Rico

Disclaimer ITW Pro Brands cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

Revision information Hazard(s) identification: Supplemental information

Yes