

## **SAFETY DATA SHEET**

Creation Date 22-Sep-2009 Revision Date 19-Jan-2018 Revision Number 3

1. Identification

Product Name Dimethyl malonate

Cat No.: AC220700000; AC220700010; AC220700050; AC22070051;

AC220702500

**CAS-No** 108-59-8

Synonyms Methyl malonate; Propanedioic acid dimethyl ester

**Recommended Use** Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4
Serious Eye Damage/Eye Irritation Category 2

Label Elements

Signal Word

Warning

**Hazard Statements** 

Combustible liquid Causes eye irritation



Revision Date 19-Jan-2018 **Dimethyl malonate** 

#### **Precautionary Statements**

#### Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fight fire with normal precautions from a reasonable distance

#### Storage

Store in a well-ventilated place. Keep cool

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None identified

### 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Dimethyl malonate	108-59-8	97

### 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Move to fresh air. Obtain medical attention. If not breathing, give artificial respiration. Inhalation

Ingestion Do not induce vomiting. Obtain medical attention.

Most important symptoms and

effects

Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician

Treat symptomatically

### 5. Fire-fighting measures

**Suitable Extinguishing Media** Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Cool closed containers

exposed to fire with water spray.

**Unsuitable Extinguishing Media** No information available

90 °C / 194 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 440 °C / 824 °F

**Explosion Limits** 

Upper No data available No data available Lower

Revision Date 19-Jan-2018 **Dimethyl malonate** 

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Combustible material. Flammable. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	_	_	_
NI	⊏	o	Λ

Health	Flammability	Instability	Physical hazards			
2	1	0	N/A			

#### 6. Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges. See Section 12 for additional ecological information. Do not flush into surface water or sanitary sewer system.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Prevent product from entering drains. Keep in suitable, closed containers for disposal. Provide adequate ventilation. Do not flush into surface water or sanitary sewer system. Remove all sources of ignition.

### Handling and storage

Handling

Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Wear personal protective equipment. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

**Engineering Measures** 

None under normal use conditions. Ensure adequate ventilation, especially in confined areas.

### **Personal Protective Equipment**

**Eye/face Protection** 

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** 

No protective equipment is needed under normal use conditions.

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety practice.

#### Physical and chemical properties

**Physical State** 

Liquid

Dimethyl malonate Revision Date 19-Jan-2018

AppearanceColorlessOdorOdorless

Odor Threshold No information available pH No information available

Melting Point/Range -62 - 0.00 °C / -79.6 - 32 °F

**Boiling Point/Range** 180 - 181 °C / 356 - 357.8 °F @ 760 mmHg

Flash Point 90 °C / 194 °F
Evaporation Rate No information available
Flammability (solid,qas) Not applicable

Flammability (solid,gas)
Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure0.15 hPa @ 20 °CVapor DensityNo information available

Specific Gravity 1.156

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

No information available

440 °C / 824 °F

No information available

No information available

Molecular Formula C5 H8 O4
Molecular Weight 132.12

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Exposure to air. Exposure to light. Incompatible products. Exposure to moisture. Keep away

from open flames, hot surfaces and sources of ignition.

Incompatible Materials Acids, Bases, Reducing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

### 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Dimethyl malonate	LD50 = 4577 mg/kg (Rat)	LD50 > 5 g/kg (Rabbit)	Not listed	

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Dimethyl malonate	108-59-8	Not listed				

Revision Date 19-Jan-2018 **Dimethyl malonate** 

**Mutagenic Effects** No information available

Reproductive Effects No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

No information available **Endocrine Disruptor Information** 

**Other Adverse Effects** The toxicological properties have not been fully investigated.

### 12. Ecological information

#### **Ecotoxicity**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Dimethyl malonate	EC50: = 147.9 mg/L, 72h	LC50: = 16.71 mg/L, 96h	EC50 = 38.1 mg/L 5 min	EC50: > 1000 mg/L, 48h
	(Desmodesmus	(Pimephales promelas)		(Daphnia magna)
	subspicatus)	LC50: = 21 mg/L, 96h		
		flow-through (Brachydanio		
		rerio)		
				ļ.

**Persistence and Degradability** Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Dimethyl malonate	0.05

# 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a **Waste Disposal Methods** 

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Not regulated DOT Not regulated TDG Not regulated IATA Not regulated IMDG/IMO

### Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Dimethyl malonate	Χ	Χ	-	203-597-8	-		Χ	Χ	Χ	Χ	Χ

Dimethyl malonate Revision Date 19-Jan-2018

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Not applicable

### **U.S. Department of Transportation**

Reportable Quantity (RQ): NDOT Marine Pollutant NDOT Severe Marine Pollutant N

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade No information available

16. Other information	tion
-----------------------	------

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 22-Sep-2009

 Revision Date
 19-Jan-2018

 Print Date
 19-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Dimethyl malonate Revision Date 19-Jan-2018

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**