# **SAFETY DATA SHEET**

Version 3.9 Revision Date 02/27/2015 Print Date 08/20/2015

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Lead(II) chromate

Product Number : 15327

Brand : Sigma-Aldrich Index-No. : 082-004-00-2

CAS-No. : 7758-97-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity (Category 1A), H350

Reproductive toxicity (Category 1A), H360

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Sigma-Aldrich - 15327 Page 1 of 9

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.
P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula : CrO<sub>4</sub>Pb

Molecular weight : 323.19 g/mol
CAS-No. : 7758-97-6
EC-No. : 231-846-0
Index-No. : 082-004-00-2

### **Hazardous components**

| Component  | Classification  | Concentration |  |  |
|--|---|---------------|--|--|
| <b>Lead chromate</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH) |   |               |  |  |
|  | Carc. 1A; Repr. 1A; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 2; H350, H360, H373, H400, H411 | <= 100 %      |  |  |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

# **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Lead oxides. Chromium oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Sigma-Aldrich - 15327 Page 2 of 9

### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

| Component     | CAS-No.   | Value  | Control parameters | Basis                                   |
|---------------|-----------|--|--------------------|---|
| Lead chromate | 7758-97-6 | TWA  | 0.012 mg/m3        | USA. ACGIH Threshold Limit Values (TLV) |
|               | Remarks   | Male reproductive damage Teratogenic effects Vasoconstriction Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen |                    |   |
|               |           | TWA  | 0.05 mg/m3         | USA. ACGIH Threshold Limit Values (TLV) |
|               |           | Male reproductive damage Teratogenic effects Vasoconstriction Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen |                    |   |

Sigma-Aldrich - 15327 Page 3 of 9

| TWA  | 0.0050 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
|------|--------------|--|
| CEIL | 0.0010 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-2                             |
| CEIL | 0.1 mg/m3    | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |
| TWA  | 0.075 mg/m3  | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder Colour: dark yellow

Sigma-Aldrich - 15327 Page 4 of 9

| b)          | Odour  | No data available |
|-------------|--|-------------------|
| c)          | Odour Threshold                              | No data available |
| d)          | рН   | No data available |
| e)          | Melting point/freezing point                 | No data available |
| f)          | Initial boiling point and boiling range      | No data available |
| g)          | Flash point                                  | Not applicable    |
| h)          | Evaporation rate                             | No data available |
| i)          | Flammability (solid, gas)                    | No data available |
| j)          | Upper/lower flammability or explosive limits | No data available |
| k)          | Vapour pressure                              | No data available |
| I)          | Vapour density                               | No data available |
| m)          | Relative density                             | 6.300 g/cm3       |
| n)          | Water solubility                             | No data available |
| o)          | Partition coefficient: n-octanol/water       | No data available |
| p)          | Auto-ignition temperature                    | No data available |
| q)          | Decomposition temperature                    | No data available |
| r)          | Viscosity                                    | No data available |
| s)          | Explosive properties                         | No data available |
| t)          | Oxidizing properties                         | No data available |
| <b>04</b> L | ar aafati, information                       |                   |

#### 9.2 Other safety information

No data available

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

No data available

### Incompatible materials 10.5

Organic materials, Powdered metals

**10.6** Hazardous decomposition products
Other decomposition products - No data available In the event of fire: see section 5

Sigma-Aldrich - 15327 Page 5 of 9

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Mouse - > 12,000 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

# Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

Carcinogenicity - Rat - Intramuscular

Tumorigenic:Neoplastic by RTECS criteria. Kidney, Ureter, Bladder:Kidney tumors. Tumorigenic:Tumors at site or application.

Carcinogenicity - Rat - Subcutaneous

Tumorigenic:Neoplastic by RTECS criteria. Tumorigenic:Tumors at site or application.

Carcinogenicity - Rat - Subcutaneous

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Tumorigenic:Tumors at site or application.

Human carcinogen.

IARC: 1 - Group 1: Carcinogenic to humans (Lead chromate)

2A - Group 2A: Probably carcinogenic to humans (Lead chromate)

IARC: 1 - Group 1: Carcinogenic to humans (Lead chromate)

2A - Group 2A: Probably carcinogenic to humans (Lead chromate)

NTP: Known to be human carcinogen (Lead chromate)

Reasonably anticipated to be a human carcinogenThe reference note has been added by TD

based on the background information of the NTP. (Lead chromate)

NTP: Known to be human carcinogen (Lead chromate)

Reasonably anticipated to be a human carcinogenThe reference note has been added by TD

based on the background information of the NTP. (Lead chromate)

OSHA: OSHA specifically regulated carcinogen (Lead chromate)

OSHA specifically regulated carcinogen (Lead chromate)

# Reproductive toxicity

Known human reproductive toxicant

No data available

# Specific target organ toxicity - single exposure

No data available

Sigma-Aldrich - 15327 Page 6 of 9

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

No data available

# **Aspiration hazard**

No data available

### **Additional Information**

RTECS: GB2975000

Lead salts have been reported to cross the placenta and to induce embryo- and feto- mortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported. Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

Very toxic to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

# DOT (US)

Not dangerous goods

### **IMDG**

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead chromate)

Marine pollutant:yes

IATA

Sigma-Aldrich - 15327 Page 7 of 9

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lead chromate)

### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Lead chromate 7758-97-6 1993-04-24

**Massachusetts Right To Know Components** 

Lead chromate CAS-No. Revision Date 7758-97-6 1993-04-24

**Pennsylvania Right To Know Components** 

Lead chromate CAS-No. Revision Date 7758-97-6 1993-04-24

**New Jersey Right To Know Components** 

Lead chromate CAS-No. Revision Date 7758-97-6 1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. Revision Date 2014-06-06

Lead chromate

WARNING: This product contains a chemical known to the CAS-No. Revision Date State of California to cause birth defects or other reproductive 7758-97-6 2014-06-06

harm.

Lead chromate

# 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Repr. Reproductive toxicity

**HMIS Rating** 

Health hazard: 0
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

**NFPA** Rating

Health hazard: 0

Sigma-Aldrich - 15327 Page 8 of 9

Fire Hazard: 0
Reactivity Hazard: 0

# **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.9 Revision Date: 02/27/2015 Print Date: 08/20/2015

Sigma-Aldrich - 15327 Page 9 of 9