



Distributed By:



6200 Grand Pointe Drive  
Grand Blanc, MI 48439  
1-800-223-3526  
www.acdelco.com

X66-A, 12302498 - ACDelco Carburetor Tune-Up Conditioner

## SAFETY DATA SHEET

Revision date 30-Jan-2015

Version 12

### Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier**

**Product Code** ACD498.076

**Product Name** 12302498 CARBURETOR TUNE-UP COND 6UC

**Other means of identification**

No information available

**Recommended use of the chemical and restrictions on use**

Washing and cleaning products (including solvent based products)

**Details of the supplier of the safety data sheet**

*See section 16 for more  
information*

The Valspar Corporation  
PO Box 1461  
Minneapolis, MN 55440

**E-mail address** [msds@valspar.com](mailto:msds@valspar.com)

**Emergency telephone number**

United States of America 1-888-345-5732

American Samoa, Guam, Northern Mariana Islands, Puerto Rico, U.S. Virgin Islands Chemtel Number

### Section 2: HAZARDS IDENTIFICATION

**Classification**

|                                   |               |
|-----------------------------------|---------------|
| Skin corrosion/irritation         | Category 2    |
| Serious eye damage/eye irritation | Category 2    |
| Carcinogenicity                   | Category 2    |
| Aspiration toxicity               | Category 1    |
| Flammable aerosols                | Category 2    |
| Gases under pressure              | Liquefied gas |

**Label elements**

Product Code ACD498.076

Page 1 / 10

AGHS - USA OSHA SDS



signal word

**DANGER**

#### Hazard Statements

flammable aerosol  
Contains gas under pressure; may explode if heated  
Causes skin irritation  
Causes serious eye irritation  
Suspected of causing cancer  
May be fatal if swallowed and enters airways

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash face, hands and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

#### Response

IF exposed or concerned: Get medical advice/attention.

##### eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

##### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

##### Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

##### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

#### Storage

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.

#### Disposal

Dispose of contents/containers in accordance with local regulations.

#### Hazards not otherwise classified (HNOC)

Propellant is classified as a simple asphyxiant if released in large quantities: May displace oxygen and cause rapid suffocation.

#### Other hazards

May be harmful if swallowed. Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

#### Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                                         | CAS No     | weight-% |
|-------------------------------------------------------|------------|----------|
| Solvent naphtha, petroleum, heavy aromatic            | 64742-94-5 | 10 - 25  |
| Diethylene glycol monobutyl ether                     | 112-34-5   | 10 - 25  |
| 2-Methylnaphthalene                                   | 91-57-6    | 10 - 25  |
| Naphthalene                                           | 91-20-3    | 5 - 10   |
| 1-Methylnaphthalene                                   | 90-12-0    | 5 - 10   |
| Distillates, petroleum, hydrotreated heavy naphthenic | 64742-52-5 | 3 - 5    |

Product Code ACD498.076

Page 2 / 10

AGHS - USA OSHA SDS

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4: FIRST AID MEASURES

### First Aid Measures

#### **General advice**

IF exposed or concerned: Get medical advice/attention.

#### **Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### **Skin Contact**

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### **Inhalation**

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

#### **Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## Section 5: FIRE FIGHTING MEASURES

### Suitable extinguishing media

Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Never use pointed jet of water

### Specific hazards arising from the chemical

Burning produces heavy smoke. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool closed containers exposed to fire with water. Do not allow run-off from fire-fighting to enter drains or water courses.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Avoid breathing vapors or mists. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Remove all sources of ignition.

#### **For emergency responders**

Use personal protection recommended in Section 8.

### Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

### Methods and material for containment and cleaning up

**Product Code** ACD498.076

Page 3 / 10

AGHS - USA OSHA SDS

### Methods for containment

Prevent further leakage or spillage if safe to do so.

### Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

## Section 7: HANDLING AND STORAGE

### Precautions for safe handling

#### Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air. Use only with adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

#### General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place. Protect from sunlight. Store in a well-ventilated place.

#### Incompatible materials

Strong oxidizing agents. Acids.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Limits

If this section is blank, no OEL's have been established for the components of this material.

| Chemical Name                                                       | ACGIH TLV                                | OSHA PEL                                 | NIOSH IDLH                                                                                              |
|---------------------------------------------------------------------|------------------------------------------|------------------------------------------|---------------------------------------------------------------------------------------------------------|
| Solvent naphtha, petroleum, heavy aromatic<br>64742-94-5            | -                                        | -                                        | -                                                                                                       |
| Diethylene glycol monobutyl ether<br>112-34-5                       | TWA: 10 ppm inhalable fraction and vapor | -                                        | -                                                                                                       |
| 2-Methylnaphthalene<br>91-57-6                                      | TWA: 0.5 ppm<br>S*                       | -                                        | -                                                                                                       |
| Naphthalene<br>91-20-3                                              | TWA: 10 ppm<br>S*                        | TWA: 10 ppm<br>TWA: 50 mg/m <sup>3</sup> | IDLH: 250 ppm<br>TWA: 10 ppm<br>TWA: 50 mg/m <sup>3</sup><br>STEL: 15 ppm<br>STEL: 75 mg/m <sup>3</sup> |
| 1-Methylnaphthalene<br>90-12-0                                      | TWA: 0.5 ppm<br>S*                       | -                                        | -                                                                                                       |
| Distillates, petroleum, hydrotreated heavy naphthenic<br>64742-52-5 | -                                        | -                                        | -                                                                                                       |

#### Legend

If S\* appears in the OEL table, it indicates this chemical contains a skin notation.

### Appropriate engineering controls

### Engineering Controls

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.

#### Skin and body protection

Personnel should wear anti-static clothing made of natural fiber or of high temperature resistant synthetic fiber. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear suitable protective clothing.

#### Hand Protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves.

#### Respiratory protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators.

#### Thermal Protection

No information available

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                               |                                  |
|-------------------------------|----------------------------------|
| Physical state                | Aerosol                          |
| Appearance                    | No information available         |
| Odor                          | Solvent                          |
| Color                         | colorless                        |
| Odor Threshold                | No information available         |
| pH value                      | 9                                |
| Melting point/freezing point  | No information available         |
| Boiling point / boiling range | No information available °C / °F |
| flash point                   | -91 °C / -132 °F                 |
| evaporation rate              | No information available         |
| Flammability (solid, gas)     | No information available         |
| Flammability Limit in Air     |                                  |
| Upper flammability limit:     | No information available         |
| Lower flammability limit:     | No information available         |
| Vapor Pressure                | No information available         |
| vapor density                 | No information available         |
| Density (lbs per US gallon)   | 7.57                             |
| specific gravity              | .91                              |
| Solubility(ies)               | Not Determined                   |
| Partition coefficient         | No information available         |
| Autoignition temperature      | No information available         |
| Decomposition temperature     | No information available         |
| Kinematic viscosity           | No information available         |
| Dynamic viscosity             | No information available         |

### Other information

## Section 10: STABILITY AND REACTIVITY

Reactivity No information available.

Product Code ACD498.076

Page 5 / 10

AGHS - USA OSHA SDS

|                                           |                                                     |
|-------------------------------------------|-----------------------------------------------------|
| <b>Chemical stability</b>                 | Stable under normal conditions.                     |
| <b>Possibility of Hazardous Reactions</b> | None under normal processing.                       |
| <b>Hazardous polymerization</b>           | None under normal processing.                       |
| <b>Conditions to avoid</b>                | Heat, flames and sparks.                            |
| <b>Incompatible materials</b>             | Strong oxidizing agents. Acids.                     |
| <b>Hazardous Decomposition Products</b>   | Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). |

## Section 11: TOXICOLOGICAL INFORMATION

**Product Information** The product has not been tested

### Information on likely routes of exposure

#### Eye contact

Causes serious eye irritation

#### Skin Contact

Causes skin irritation

#### Ingestion

May be fatal if swallowed and enters airways

#### Inhalation

Not applicable

### Numerical measures of toxicity - Component Information

| Chemical Name                                                       | Oral LD50            | Dermal LD50             | Inhalation LC50                     |
|---------------------------------------------------------------------|----------------------|-------------------------|-------------------------------------|
| Solvent naphtha, petroleum, heavy aromatic<br>64742-94-5            | > 5000 mg/kg ( Rat ) | > 2 mL/kg ( Rabbit )    | > 590 mg/m <sup>3</sup> ( Rat ) 4 h |
| Diethylene glycol monobutyl ether<br>112-34-5                       | = 3384 mg/kg ( Rat ) | = 2700 mg/kg ( Rabbit ) | -                                   |
| 2-Methylnaphthalene<br>91-57-6                                      | = 1110 mg/kg ( Rat ) | > 2500 mg/kg ( Rat )    | -                                   |
| Naphthalene<br>91-20-3                                              | = 1110 mg/kg ( Rat ) | = 1120 mg/kg ( Rabbit ) | > 340 mg/m <sup>3</sup> ( Rat ) 1 h |
| 1-Methylnaphthalene<br>90-12-0                                      | = 1840 mg/kg ( Rat ) | -                       | -                                   |
| Distillates, petroleum, hydrotreated heavy naphthenic<br>64742-52-5 | -                    | -                       | -                                   |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

### Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 2972 Mg/kg

| Chemical Name                                            | ACGIH | IARC     | NTP                    | OSHA |
|----------------------------------------------------------|-------|----------|------------------------|------|
| Solvent naphtha, petroleum, heavy aromatic<br>64742-94-5 | -     | -        | -                      | -    |
| Diethylene glycol monobutyl ether<br>112-34-5            | -     | -        | -                      | -    |
| 2-Methylnaphthalene<br>91-57-6                           | -     | -        | -                      | -    |
| Naphthalene<br>91-20-3                                   | A3    | Group 2B | Reasonably Anticipated | X    |

**Product Code ACD498.076**

Page 6 / 10

AGHS - USA OSHA SDS

|                                                                           |   |   |   |   |
|---------------------------------------------------------------------------|---|---|---|---|
| 1-Methylnaphthalene<br>90-12-0                                            | - | - | - | - |
| Distillates, petroleum,<br>hydrotreated heavy<br>naphthenic<br>64742-52-5 | - | - | - | - |

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen.

**IARC (International Agency for Research on Cancer)**

Group 2B - Possibly Carcinogenic to Humans.

**NTP (National Toxicology Program)**

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen.

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present.

|                                                           |                                              |
|-----------------------------------------------------------|----------------------------------------------|
| <b>Skin corrosion/irritation</b>                          | Causes skin irritation                       |
| <b>Serious eye damage/eye irritation</b>                  | Causes serious eye irritation                |
| <b>Skin sensitization</b>                                 | Not applicable                               |
| <b>Respiratory sensitization</b>                          | Not applicable                               |
| <b>Germ cell mutagenicity</b>                             | Not applicable                               |
| <b>Carcinogenicity</b>                                    | Suspected of causing cancer                  |
| <b>Reproductive Toxicity</b>                              | Not applicable                               |
| <b>Specific target organ toxicity (single exposure)</b>   | Not applicable                               |
| <b>Specific target organ toxicity (repeated exposure)</b> | Not applicable                               |
| <b>Aspiration hazard</b>                                  | May be fatal if swallowed and enters airways |

## Section 12: ECOLOGICAL INFORMATION

### Ecotoxicity

The product has not been tested

Toxic to aquatic life with long lasting effects.

### Environmental precautions

Prevent product from entering drains.

Marine pollutant

This material meets the definition of a marine pollutant

### Persistence and degradability

No information available

### Bioaccumulation

No information available

### Mobility

No information available

### Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **Contaminated packaging**

Improper disposal or reuse of this container may be dangerous and illegal. Empty containers must be scrapped or reconditioned.

## Section 14: TRANSPORT INFORMATION

DOT

IMDG

IATA

**Product Code ACD498.076**

Page 7 / 10

AGHS - USA OSHA SDS

|                                                                               |                                                                  |                          |          |
|-------------------------------------------------------------------------------|------------------------------------------------------------------|--------------------------|----------|
| 14.1 UN/ID no                                                                 | ORM-D                                                            | UN1950                   | UN1950   |
| 14.2 Proper shipping name                                                     | consumer commodity                                               | Aerosols                 | Aerosols |
| 14.3 Hazard Class                                                             |                                                                  | 2.1                      | 2.1      |
| 14.4 Packing Group                                                            |                                                                  |                          |          |
| 14.5 Environmental hazard                                                     | Yes                                                              |                          |          |
| Marine pollutant                                                              | This material meets the definition of a marine pollutant         |                          |          |
| Marine pollutant                                                              | Solvent naphtha, petroleum, heavy aromatic , 2-Methylnaphthalene |                          |          |
| 14.6 Special Provisions                                                       | Emergency Response Guide Number<br>126                           | EmS-No<br>F-D, S-U       |          |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code |                                                                  | No information available |          |

## Section 15: REGULATORY INFORMATION

### International Inventories

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

All components are listed or exempt from listing

**DSL** - Canadian Domestic Substances List

All components are listed or exempt from listing

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                                | SARA 313 - Threshold Values % |
|----------------------------------------------|-------------------------------|
| Diethylene glycol monobutyl ether - 112-34-5 | 1                             |
| Naphthalene - 91-20-3                        | 0.1                           |

#### SARA 311/312 Hazard Categories

|                                   |     |
|-----------------------------------|-----|
| Acute health hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire hazard                       | Yes |
| Sudden release of pressure hazard | Yes |
| Reactive Hazard                   | No  |

| Chemical Name          | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Naphthalene<br>91-20-3 | 100 lb                      | X                      | X                         | X                          |

| Chemical Name          | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                  |
|------------------------|--------------------------|----------------|-------------------------------------------|
| Naphthalene<br>91-20-3 | 100 lb                   |                | RQ 100 lb final RQ<br>RQ 45.4 kg final RQ |

### US State Regulations

#### California Proposition 65

WARNING! This product contains a chemical known in the State of California to cause cancer

| Chemical Name         | California Proposition 65 |
|-----------------------|---------------------------|
| Naphthalene - 91-20-3 | Carcinogen                |

#### U.S. EPA Label information

EPA Pesticide registration number Not applicable

#### U.S. State Right-to-Know Regulations

#### SAFETY DATA SHEET

| Chemical Name                                            |
|----------------------------------------------------------|
| Solvent naphtha, petroleum, heavy aromatic<br>64742-94-5 |

Product Code ACD498.076



|                                                                     |
|---------------------------------------------------------------------|
| Proprietary non-hazardous Ingredient - Proprietary CAS              |
| Diethylene glycol monobutyl ether<br>112-34-5                       |
| 2-Methylnaphthalene<br>91-57-6                                      |
| Proprietary non-hazardous Ingredient - Proprietary CAS              |
| Naphthalene<br>91-20-3                                              |
| 1-Methylnaphthalene<br>90-12-0                                      |
| Propane<br>74-98-6                                                  |
| Distillates, petroleum, hydrotreated heavy naphthenic<br>64742-52-5 |
| Butane<br>106-97-8                                                  |

| Chemical Name                                                       |
|---------------------------------------------------------------------|
| Solvent naphtha, petroleum, heavy aromatic<br>64742-94-5            |
| Water<br>7732-18-5                                                  |
| Diethylene glycol monobutyl ether<br>112-34-5                       |
| 2-Methylnaphthalene<br>91-57-6                                      |
| Oleic acid<br>112-80-1                                              |
| Naphthalene<br>91-20-3                                              |
| 1-Methylnaphthalene<br>90-12-0                                      |
| Propane<br>74-98-6                                                  |
| Distillates, petroleum, hydrotreated heavy naphthenic<br>64742-52-5 |
| Butane<br>106-97-8                                                  |

## Section 16: OTHER INFORMATION

### HMIS

|                     |    |
|---------------------|----|
| Health hazards      | 3* |
| Flammability        | 4  |
| Physical hazards    | 0  |
| Personal Protection | X  |

### Supplier Address

|                                                                                                                 |                                                                                    |
|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Valspar Architectural<br>Headquarters<br>8725 W. Higgins Rd. Suite<br>1000<br>Chicago, IL 60631<br>773-628-5500 | The Valspar Corporation<br>4999 36th St.<br>Grand Rapids, MI 49512<br>800-253-3957 |
|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|

**Prepared By** Product Stewardship

**Revision date** 30-Jan-2015  
**Revision Note** No information available

**Product Code** ACD498.076

Page 9 / 10  
AGHS - USA OSHA SDS

**Disclaimer**

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

**End of Safety Data Sheet**