IDEMITSU

SAFETY DATA SHEET

Product Name: Kubota Hydraulic Fluid 46HD, 5 Gallon Pail

Revision Date: 05-Jun-2015 Revision Number: 1

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name: Kubota Hydraulic Fluid 46HD, 5 Gallon Pail

Other means of identification

Product Code: 3239-031

Synonyms Not available

1.2 Recommended use of the chemical and restrictions on use

Recommended Use Lubricant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufactured by Idemitsu Lubricants America Corporation

701 Port Rd.

Jeffersonville, IN. 47130 Telephone: 812-285-8234

Fax: 812-285-8243

Contact Name: Robin Hutchens Email: sds@ilacorp.com

24 Hour Emergency Phone Number: Within USA and Canada: 1-800-424-9300

Outside USA and Canada: + 1 703-741-5970 (collect calls

accepted)

2. HAZARDS IDENTIFICATION

2.1 Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS 2015

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified
Respiratory sensitization	Not classified
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Category 2 Testes
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified
Physical hazards	None

2.2. Label elements



Signal word Warning

Hazard statements H361 - Suspected of damaging fertility or the unborn child if

swallowed

Precautionary Statements - Prevention: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read

Revision Date: 05-Jun-2015

and understood

P280 - Wear suitable protective clothing, gloves, eye and face

protection

Precautionary Statements - Response: P308 + P313 -IF exposed or concerned: Get medical advice or

attention

Precautionary Statements - Storage: P405 - Store locked up

Precautionary Statements - Disposal: P501 - Dispose of contents to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

2.3 Other information

Other hazards • May be harmful in contact with skin

· Harmful to aquatic life with long lasting effects

Harmful to aquatic life

Unknown acute toxicity

3.728475% of the mixture consists of ingredient(s) of unknown

Revision Date: 05-Jun-2015

toxicity

COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous Components

Chemical Name	CAS-No	Weight %	Notes
Tricresylphosphate	1330-78-5	<1	

Components that do not contribute to this product's hazards

Chemical Name	CAS-No	Weight %
Lubricating Base Stocks	Mixture	>95

4. FIRST AID MEASURES

4.1 First Aid Measures

General Advice If symptoms persist, call a physician. Get medical advice/attention if you feel unwell. Take a

copy of the Safety Data Sheet when going for medical treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation

persists, consult a specialist.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give

oxygen. If not breathing, give artificial respiration. Call a physician immediately.

Ingestion Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty

lean forward to reduce the risk of aspiration. Call a physician or Poison Control Center

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties NFPA: Class IIIB Combustible Liquid

5.1 Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2 Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources

Revision Date: 05-Jun-2015

of ignition.

Hazardous combustion products:

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Nitrogen oxides (NOx), Oxides

of Phosphorus, Sulphur oxides.

5.3 Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all Personal precautions

sources of ignition. Avoid breathing vapors or mists. Ensure adequate ventilation.

6.2 Environmental Precautions

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Methods for Clean-up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceus earth, vermiculite) and place in container for disposal according to local /

national regulations (see section 13).

Spill Management

LARGE SPILLS Eliminate sources of ignition. Prevent additional discharge of material if possible to do so

> without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify

the National Response Center.

WATER SPILLS Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand

or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure

conformity to local disposal regulations.

HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Do not breathe vapors or Handling

> spray mist. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Safe Handling Advice Handle in accordance with good industrial hygiene and safety

practices.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep container tightly closed

in a dry and well-ventilated place.

Revision Date: 05-Jun-2015

Incompatible Materials and/or Coatings

No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

<u>Exposure Guidelines</u>

This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Other Exposure Guidelines (If Generated)

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m ³	TWA: 5 mg/m ³		TWA 5 mg/m ³ ST 10 mg/m ³			

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal Protective Equipment

Eye/face protection Tightly fitting safety goggles. Wear chemical splash goggles and face shield when eye and

face contact is possible due to splashing or spraying of material.

Skin protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate to prevent skin contact. Glove Type: Neoprene, Nitriles

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly.

Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

AppearanceClearPhysical StateLiquid

Odor Characteristic

Odor Threshold No information available

Revision Date: 05-Jun-2015

pH Melting point / melting rangeNot applicable
Not applicable

Boiling point / boiling range No information available

Flash Point > 200 °C / 392 °F COC ASTM D92

Evaporation Rate

Flammability Limit in Air

Explosion Limits

No information available

No information available

Vapor Pressure

No information available

Vapor Density

No information available

Partition Coefficient (n-octanol/water)
Autoignition Temperature
No information available
Decomposing Temperature
No information available

Viscosity @ 40C = 46.61 cSt; @ 100C = 8.27 cSt

Other Information

10. STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity The product is chemically stable

10.2 Chemical stability

Chemical Stability Stable under normal conditions.

10.3 Possibility of Hazardous Reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4 Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5 Incompatible Materials

Incompatible Materials Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and

vapors.

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact May cause slight irritation.

Skin Contact May be harmful in contact with skin.

Ingestion May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tricresylphosphate 1330-78-5	3000 mg/kg (Rat)	1701 mg/kg (Rabbit)	

Revision Date: 05-Jun-2015

11.2 Information on toxicological effects

Symptoms No information available

11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified. Serious eve damage/eve

irritation

Not classified.

Sensitization Not classified. Not classified. Mutagenic effects

11.4 Carcinogenicity

Carcinogenicity No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP, IARC, OSHA, or ACGIH.

Legend:

NTP: (National Toxicity Program), ACGIH (American Conference of Governmental Industrial Hygienists) IARC: (International Agency for Research on Cancer), OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Suspected of damaging fertility or the unborn child if swallowed. **Reproductive Effects**

Developmental Effects Not classified. Not classified. STOT - single exposure

Not classified STOT - repeated exposure

Avoid repeated exposure. **Chronic Toxicity**

Aspiration hazard Not classified.

11.5 Acute Toxicity

3.728475% of the mixture consists of ingredient(s) of unknown toxicity Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document _.

Product Information (Estimated):

ATEmix (oral) > 5.000 mg/kg > 2,000 mg/kgATEmix (dermal) ATEmix (inhalation-dust/mist) > 5 mg/l

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Ecotoxicity effects Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Plants and animals

may experience harmful or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or

create an anaerobic environment.

Unknown aquatic toxicity 3.77658% of the mixture consists of components(s) of unknown hazards to the aquatic

environment

12.2 Persistence and degradability No information available.

12.3 Bioaccumulation/Accumulation No information available

12.4. Mobility in soilNo information available

PBT and vPvB assessment No information available

12.5 Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

To minimize exposure, see Section 8 (Exposure Controls/Personal Protection) of the SDS.

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

Revision Date: 05-Jun-2015

regulations for additional requirements.

Contaminated packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

<u>IATA</u> Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	All ingredients are on the inventory or exempt from listing			
DSL	Not all ingredients are listed on the DSL Inventory List			
NDSL	There are ingredien	its listed on the NDSL Inven	tory List	
Chemical Name Diisotridecyl adipate	NDSL CAS-No Weight % X 26401-35-4 <0.1			
EINECS	Does not comply			
ELINCS	Not Listed			
ENCS	All ingredients are on the inventory or exempt from listing			
CHINA	All ingredients are or	n the inventory or exempt from	om listing	
KECL	Does not comply			
PICCS	Does not comply			
AICS	All ingredients are on the inventory or exempt from listing			

Revision Date: 05-Jun-2015

NZIoC	Does not comply
Mexico	Does not comply

USA		

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS-No	Weight %	RQ	TPQ
Methyl methacrylate	80-62-6	<0.1	1000 lb final RQ 454 kg final RQ	
Ethyl acrylate	140-88-5	<0.001	1000 lb final RQ 454 kg final RQ	
Phosphoric acid	7664-38-2	<0.0001	5000 lb final RQ 2270 kg final RQ	
Methyl alcohol	67-56-1	<0.00001	5000 lb final RQ 2270 kg final RQ	
Naphthalene	91-20-3	<0.00001	100 lb final RQ 45.4 kg final RQ	
Ethylene oxide	75-21-8	NF	10 lb final RQ 4.54 kg final RQ	1000 lb TPQ
Propylene oxide	75-56-9	NF	100 lb final RQ 45.4 kg final RQ	10000 lb TPQ
1,4-Dioxane	123-91-1	NF	100 lb final RQ 45.4 kg final RQ	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data
Methyl methacrylate	80-62-6	<0.1	X
Ethyl acrylate	140-88-5	<0.001	X
Methyl alcohol	67-56-1	<0.00001	X
Naphthalene	91-20-3	<0.00001	X
Ethylene oxide	75-21-8	NF	X
·			10 Weighting factor
Propylene oxide	75-56-9	NF	X
1,4-Dioxane	123-91-1	NF	X

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CAS-No	Weight %	U.S CWA (Clean Water Act)
Methyl methacrylate	80-62-6	<0.1	X

3239-031 - Kubota Hydraulic Fluid 46HD, 5 Gallon Pail

Revision Date: 05-Jun-2015

Phosphoric acid	7664-38-2	<0.0001	X
Naphthalene	91-20-3	<0.00001	X
Propylene oxide	75-56-9	NF	X

State Regulations

California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm

Chemical Name	CAS-No	Weight %	California Prop. 65		Safe Harbor Limits for Cancer-causing Chemicals (NSRLs)
Ethyl acrylate	140-88-5	<0.001	Carcinogen		
trimethyl phosphate	512-56-1	<0.001	Carcinogen		24 µg/day
Methyl alcohol	67-56-1	<0.00001	Developmental	47000µg/dayinhalati on 23000µg/dayoral	
Naphthalene	91-20-3	<0.00001	Carcinogen		5.8 µg/day
Ethylene oxide	75-21-8	NF	Carcinogen Developmental Female Reproductive Male Reproductive	20µg/day	2 μg/day
Propylene oxide	75-56-9	NF	Carcinogen		
1,4-Dioxane	123-91-1	NF	Carcinogen		30 μg/day

State Right-to-Know

Chemical Name	CAS-No	New Jersey	
Petroleum distillates, hydrotreated heavy	64742-54-7	X	
paraffinic			

New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Lubricating Oil)

Canada		
Canada		

This material has been classified in accordance with the WHMIS 2015 regulation

Chemical Name	CAS-No	Weight %	NPRI
2,6-di-tert-butyl p-cresol	128-37-0	<1	Listed
Methyl methacrylate	80-62-6	<0.1	Listed
Ethylene oxide-Nonylphenol polymer	9016-45-9	<0.01	Listed
Ethyl acrylate	140-88-5	<0.001	Listed
Diphenylamine	122-39-4	<0.001	Listed
Methyl alcohol	67-56-1	<0.00001	Listed
Naphthalene	91-20-3	<0.00001	Listed
1,4-Dioxane	123-91-1	NF	Listed
Ethylene oxide	75-21-8	NF	Listed
Propylene oxide	75-56-9	NF	Listed

Legend

NPRI - National Pollutant Release Inventory

Flammability: 1

Health: 1

Revision Date: 05-Jun-2015

Instability 0

16. OTHER INFORMATION

1 0

Prepared By
Revision Date:

Susie Bibb
05-Jun-2015

Revision Summary: GHS SDS format

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet